

FACILITY EVALUATION CHECK LIST

Provided compliments of George Arrants Enterprises

SCHOOL NAME:						
Date:	/_ Secor	_/ ndary				
Instructor(s):						
Other	Attend	lees:				
1. <u>FIR</u>	E SAFE	<u>TY</u>				
ALERT	<u>OK</u>					
		Sufficient number of extinguishers (requires a minimum of 3)				
		Easily accessible (nothing blocking the path or the floor below)				
		Highly noticeable (should be marked with red square behind extinguisher)				
		Are they charged and properly tagged and are the inspections current?				
		Are the exits properly marked?				
2. <u>EYI</u>	E SAFE	<u>ΓΥ</u>				
ALERT	<u>OK</u>					
		Is there an eye wash?				
		Is it easily accessible in an emergency?				
		Does the eye wash have proper drainage?				
		Is the eye wash highly visible?				
		Do all the students have safety glasses?				
		Are all the students wearing safety glasses?				
		Are there extra safety glasses for visitors?				
	П	Are there face shields and goggles?				

3. GENERAL SHOP & EQUIPMENT

ALERT	<u>OK</u>				
		Does all equipment have shields and guards?			
		How do they store chemicals and cleaners?			
		Fireproof cabinet?			
ALERT	<u>ок</u>				
		Air hoses in good condition? No hose clamps to hold fittings!			
		Oxygen/acetylene bottles properly tied down?			
		Ear protection?			
		Safety posters?			
		Floors clean?			
		Do Yellow and Red lines mark the floor properly?			
		Aisle and walkways clear and marked?			
		Solvent tank or tanks in proper working order w/proper method of fluid			
		disposal?			
		Water based solvent preferred.			
		Proper storage of oily rags?			
		Proper disposal of waste oil and oil filters?			
		Proper disposal of anti-freeze?			
		Proper disposal system for old tires and batteries?			
		Is there a tire rack?			
		Frayed electrical cords or improperly grounded cords? Must have 3-prong			
		male connector.			
		Drop lights (fluorescent preferred)?			
4. MISCELLANEOUS SHOP NEEDS					
ALERT	<u>OK</u>				
		Classroom independent and separate from shop working area?			
		Proper ventilation system in place for exhaust to exit from shop?			
		Equipment storage blocking exits, fire extinguishers, aisles, fire alarm,			
		eye wash or emergency electrical cut-off?			
		SDS (Safety Data Sheets) binder or sheets readily available?			
		First Aid Kits available?			
		TECHEORCE ORG			

		Are first aid kits properly stocked on a regular basis?			
		Adequate storage of material and supplies?			
5 GEN	VERAL (SHOP CONDITION			
		STICL CONDITION			
ALERT	<u>0K</u>				
		Overall shop area clean, neat and well lighted?			
		Are the workbenches clean, neat and free of clutter?			
		Housekeeping chores attended too daily?			
		Housekeeping system in place to maintain an overall clean shop appearance?			
		Scheduled inspections by administration?			
		Scheduled inspections by local industry?			
		Scheduled inspections by advisory board?			
6. COLLISION REPAIR (if applicable)					
ALERT	<u>0K</u>				
		Vacuum-air sanders only?			
		Hazardous spill response kit?			
		Fire blanket and case?			
		Fresh air make-up system?			
		Waste disposal system that meets local, federal and state regulations?			
		Are there respirators, and are they of the proper type?			
		Eye wash basin?			
		Safety shower?			
Additio	onal cor	nments:			
Inspected by:					

Rev. 08-22